

















	V2801SG	HG323DAC	V2804AC-Z	HG3221D	V2804AX	HG325AX
PADRÃO	ONU Single Port	AC1200	AC1200	AC1200	AX1800	AX1800
MODO DE ACESSO	PPPOE, Bridge	PPPoE, DHCP, IP Dinâmico, Bridge, IP Estático, NAT, DMZ, DDNS				
ANTENA	Não	4x5dBi	4x5dBi	4x5dBi	4x5dBi	4x5dBi
FONTE DE ENERGIA	DC 12V,1.0 A	DC 12V,1. 0 A, CA				
PTC. E PADRÃO	ITU-T G.984	ITU-T G.984	ITU-T G.984	ITU-T G.984	ITU-T G.984	ITU-T G.984
VELOCIDADE UL/DL	1.25Gbps / 2.5 Gbps	1.25Gbps / 2.5Gbps				
PORTAS	1x 10/100/1000	2x 10/100/1000 + 1x RJ11	4x 10/100/1000 + 1x USB 3.0	4x 10/100/1000 + 1x RJ11 + 1x USB 3.0	4x 10/100/1000 + 1x USB 3.0	4x 10/100/1000 + 1x RJ11 + 1x USB 3.0
MONITORAMENTO POTÊNCIA ÓPTICA	Sim	Sim	Sim	Sim	Sim	Sim
GERENC. WEB	Sim	Sim	Sim	Sim	Sim	Sim
TECNOLOGIA PON	EPON/GPON	EPON/GPON	EPON/GPON	EPON/GPON	EPON/GPON	EPON/GPON
IPTV	Não	Sim	Sim	Sim	Sim	Sim
TR-069	Sim	Sim	Sim	Sim	Sim	Sim
WI-FI	N/A	5	5	5	6	6